


**FROST**  
DENMARK

## CARRY HOOKS


DESIGNED BY HENRIK TENGLER

PRODUCT DETAILS, TECHNICAL DETAILS  
AND FITTING INSTRUCTIONS



MATERIAL: STAINLESS STEEL / POLYESTER CORD


AVAILABLE IN THE NINE FROST FINISHES:



## ADJUST THE CORD

### IN THE BOX:

- 3 x (A) Ceiling bracket
- 6 x (B) Cord holder
- 3 x (C) Polyester cord (4 m)
- 3 x (D) Hooks
- 3 x (E) Screws (Ø5 x 50 mm)
- 3 x (F) Wall plugs (Ø8 x 40 mm)




## DRILL HOLES IN CEILING

Drill three 8 mm holes in the ceiling.

1

NOTE: The following measurements is only for inspiration you can create your own desired look.




## MOUNTING OF CEILING BRACKET

Disassemble the (B) cord holders from the (A) ceiling brackets.

2


Mount the (A) ceiling brackets as illustrated.



## MOUNTING OF HOOK

To mount the hook, rotate the (B) cord holder counter clockwise into the (A) ceiling bracket until it is secure.

3



#### **CLEANING AND MAINTENANCE**

Surfaces should be cleaned with a microfiber cloth, glass cleaner or other non abrasive and gentle agents.

#### **ATTENTION:**

Never use solvents or aggressive household cleaners like bleach, acids (e.g. descalers) or ammonia-based bathroom cleaner to clean the product. Steel wool and hard brushes can permanently damage the surface of the steel.

#### **EXCLUSION OF LIABILITY**

FROST accepts no liability whatsoever for damage to persons or property that occurs or has occurred as a result of improper installation or maintenance, particularly if the safety instructions and other points to note listed are not or have not been observed in full.

#### **WARNING AND HAZARD NOTICES**

Improper mounting or use can lead to accidents and serious injuries.

**[www.frostdenmark.com](http://www.frostdenmark.com)**

Bavne Alle 32, 8370 Hadsten, Denmark

E-mail: [info@frost.dk](mailto:info@frost.dk) • Phone: (+45) 87 61 00 32

We are also to be found as frostdenmark on Facebook,  
Instagram, Pinterest and LinkedIn

